



Reviewed on 08/14/2014

1 Identification

- · Product identifier
- · Trade name: 38403 Blenz In
- Article number: 38403
- *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*
- · Application of the substance / the mixture Coating

Details of the supplier of the safety data sheet
Manufacturer/Supplier: SEM Products Inc. 1685 Overview Drive Rock Hill, SC 29730 803 207 8225

· Information department:

cust_care@semproducts.com : SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730 : phone 1-800-831-1122, M - TH 7am - 4pm EDT

• Emergency telephone number: CHEMTREC 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.

GH:	S08 Health I	nazard
Muta. 1A	H340	May cause genetic defects.
Repr. 2	H361	Suspected of damaging fertility or the unborn child.
Acute Tox. 4	S07 H312	Harmful in contact with skin.
Eye Irrit. 2A	H319	Causes serious eye irritation.
• Lahel element	 s	

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling: Petroleum gases, liquefied, sweetened*

(Contd. on page 2)

USA

Printing date 08/14/2014



Trade name: 38403 Blenz In

	(Contd. of page 1)		
toluene			
\cdot Hazard state			
	Extremely flammable aerosol. Pressurized container: May burst if heated.		
	Harmful in contact with skin.		
	Causes serious eye irritation.		
	May cause genetic defects.		
	Suspected of damaging fertility or the unborn child.		
 Precautiona 	ry statements		
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.		
P251	Pressurized container: Do not pierce or burn, even after use.		
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if		
	present and easy to do. Continue rinsing.		
P405	Store locked up.		
P410+P412			
P501	Dispose of contents/container in accordance with local/regional/national/international		
	regulations.		
· Classificatio			
\cdot NFPA ratin	gs (scale 0 - 4)		
+MIS-ratin	Health = 2 $Fire = 4$ $Reactivity = 0$ $gs (scale 0 - 4)$		
HEALTH FIRE REACTIVITY	$\begin{array}{l} \hline 2 \\ 4 \\ 4 \\ \hline Fire = 4 \\ \hline 0 \\ Reactivity = 0 \end{array}$		
• Other hazar • Results of P • PBT: Not ap • vPvB: Not a	BT and vPvB assessment oplicable.		
3 Compositi	on/information on ingredients		
5 Composul			
· Description.			
Mixture: consisting of the following components.			
Weight perc	entages		
· Dangerous	-		
108-94-1	cyclohexanone 40 - 60%		
	Petroleum gases, liquefied, sweetened 13 - 30%		
67-64-1	· · ·		
108-88-3			
100-00-3			
	NJ TSRN: 8009285004 Polyester Plasticizer 1-1.5%		

Page 2/11

USA

(Contd. on page 3)

Printing date 08/14/2014

Reviewed on 08/14/2014

Trade name: 38403 Blenz In

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage


• Precautions for safe handling No special measures required.

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

• Information about protection against explosions and fires: Do not spray on a naked flame or any incandescent material. Keep ignition sources away - Do not smoke.

(Contd. on page 4)

USA





Reviewed on 08/14/2014

Trade name: 38403 Blenz In

(Contd. of page 3)

Protect against electrostatic charges. Keep respiratory protective device available. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

 \cdot Conditions for safe storage, including any incompatibilities

· Storage:

 Requirements to be met by storerooms and receptacles: Store in a cool location.
 Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.


· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Com	· Components with limit values that require monitoring at the workplace:		
108-9	94-1 cyclohexanone		
PEL	Long-term value: 200 mg/m ³ , 50 ppm		
REL	Long-term value: 100 mg/m³, 25 ppm Skin		
TLV	Long-term value: 50 mg/m³, 20 ppm Skin		
67-64	4-1 acetone		
PEL	Long-term value: 2400 mg/m ³ , 1000 ppm		
REL	Long-term value: 590 mg/m ³ , 250 ppm		
TLV	Short-term value: (1782) NIC-1187 mg/m ³ , (750) NIC-500 ppm Long-term value: (1188) NIC-594 mg/m ³ , (500) NIC-250 ppm BEI		
108-8	88-3 toluene		
PEL	Long-term value: 200 ppm Ceiling limit value: 300; 500* ppm *10-min peak per 8-hr shift		
REL	Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm		
TLV	Long-term value: 75 mg/m³, 20 ppm BEI		
	(Contd. on page 5)		
	USA		



Printing date 08/14/2014

Reviewed on 08/14/2014

SEM

Trade name: 38403 Blenz In

Ingr	contd. of page (Contd. of page edients with biological limit values:
-	94-1 cyclohexanone
	80 mg/L
DLI	Medium: urine
	Time: end of shift at end of workweek
	Parameter: 1.2-Cyclohexanediol with hydrolysis (nonspecific, semi-quantitative)
	Turancier. 1.2 Cyclonexinealor with hydrolysis (holispecific, sent quantitative)
	8 mg/L
	Medium: urine
	Time: end of shift
<i>(</i> –)	Parameter: Cyclohexanol with hydrolysis (nonspecific, semi-quantitative)
	4-1 acetone
BEI	50 mg/L
	Medium: urine
	Time: end of shift
100	Parameter: Acetone (nonspecific)
	88-3 toluene
BEI	0.02 mg/L
	Medium: blood
	Time: prior to last shift of workweek Parameter: Toluene
	r urumeter. 10tuene
	0.03 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Toluene
	0.3 mg/g creatinine
	Medium: urine
	Time: end of shift
	Parameter: o-Cresol with hydrolysis (background)
Add	<i>itional information:</i> The lists that were valid during the creation were used as basis.
	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	e protective clothing separately.
	thing equipment:
In ce	use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u iratory protective device that is independent of circulating air.
	ection of hands:
Due	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ initial mixture.
	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page

Printing date 08/14/2014

Trade name: 38403 Blenz In

(Contd. of page 5)

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

 \cdot Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and	chemical properties
· General Information	
· Appearance: Form:	Aerosol
Form: Color:	
· Odor:	According to product specification Characteristic
• Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	55 °C
· Flash point:	-103 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	420 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
· Explosion limits:	
Lower:	1.3 Vol %
Upper:	13.0 Vol %
· Vapor pressure at 20 °C:	233 hPa
· Density at 20 •C:	0.81894 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
	(Contd. on page 2

USA



Reviewed on 08/14/2014

Printing date 08/14/2014

Trade name: 38403 Blenz In

		(Contd. of page 6
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	96.3 %	
VOC content:	78.4 %	
	789.0 g/l / 6.58 lb/gl	
Solids content:	3.7 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:
--

108-94-1 cyclohexanone		
Oral	LD50	1535 mg/kg (rat)
Dermal	LD50	948 mg/kg (rabbit)
Inhalative	LC50/4 h	8000 mg/l (rat)
108-88-3 toluene		
Oral	LD50	5000 mg/kg (rat)
Dermal	LD50	12124 mg/kg (rabbit)
Inhalative	LC50/4 h	5320 mg/l (mouse)
 Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: 		

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

(Contd. on page 8)

USA



SEM

(Contd. of page 7)

3

3

Reviewed on 08/14/2014

Trade name: 38403 Blenz In

The product can cause inheritable damage.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

108-94-1 cyclohexanone

108-88-3 toluene

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

· UN-Number · DOT, ADR, IMDG, IATA	UN1950	
· UN proper shipping name		
$\cdot DOT$	Aerosols, flammable	
·ADR	1950 Aerosols	
·IMDG	AEROSOLS	
·IATA	AEROSOLS, flammable	



Printing date 08/14/2014

Trade name: 38403 Blenz In

	(Contd. of pa
Transport hazard class(es)	
DOT	
Class	2.1
Label	2.1
ADR	
2	
Class	2 5F Gases
Label	2.1
IMDG, IATA	
Class	2.1
Label	2.1
Packing group	
DOT, ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Gases
EMS Number:	F-D,S-U
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	I of Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 75 kg
2	On cargo aircraft only: 150 kg
ADR	
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
IMDG	
Limited quantities (LQ)	1L Code: E0
Excepted quantities (EQ)	<i>Coae: E0</i> <i>Not permitted as Excepted Quantity</i>
	Not permittea as Exceptea Ouantity





Printing date 08/14/2014

Page 10/11

(Contd. of page 9)

Reviewed on 08/14/2014

Trade name: 38403 Blenz In

· UN ''Model Regulation'':

UN1950, Aerosols, 2.1

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara
Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

108-88-3 toluene

· TSCA (Toxic Substances Control Act):

108-94-1 cyclohexanone

68476-86-8 Petroleum gases, liquefied, sweetened

67-64-1 acetone

108-88-3 toluene

763-69-9 ethyl 3-ethoxypropionate

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

108-88-3 toluene

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

108-88-3 toluene

· Cancerogenity categories

· EPA (Environmental Protection Agency)

67-64-1 acetone

108-88-3 toluene

· TLV (Threshold Limit Value established by ACGIH)

108-94-1 cyclohexanone 67-64-1 acetone

108-88-3 toluene

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



I II

A3

A4

A4

Printing date 08/14/2014





Page 11/11

US 4

Reviewed on 08/14/2014

Trade name: 38403 Blenz In

	(Contd. of page 10)			
 Signal word Dan 	ger			
· Hazard-determin	ing components of labeling:			
Petroleum gases,	liquefied, sweetened			
toluene				
· Hazard statemen	ts			
H222-H229 Extr	emely flammable aerosol. Pressurized container: May burst if heated.			
H312 Harr	nful in contact with skin.			
	ses serious eye irritation.			
H340 May	cause genetic defects.			
H361 Susp	ected of damaging fertility or the unborn child.			
· Precautionary st	atements			
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.			
P251	Pressurized container: Do not pierce or burn, even after use.			
<i>P305+P351+P3</i> .	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P405	Store locked up.			
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}C/122$ $^{\circ}F$.			
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.			
· Chemical safety	assessment: A Chemical Safety Assessment has not been carried out.			

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Steve Gaver
- · Date of preparation / last revision 08/14/2014 / 1

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Acute Tox. 4: Acute toxicity, Hazard Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Muta. 1A: Germ cell mutagenicity, Hazard Category 1A Repr. 2: Reproductive toxicity, Hazard Category 2 • * Data compared to the previous version altered.